

Page 1/6

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.12.2020 Version number 1 Revision: 18.12.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Seal-it® 115 Top-Acryl
- · Article number: SI-115-XXXX-310
- $\cdot$  1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Sealant

Construction chemicals

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Connect Products B. V, Duurzaamheidsring 220, 4231 EX Meerkerk, Nederland

T: +31 (0)347 341 916

W: https://www.connectproducts.nl/

- · Further information obtainable from: uinfo@connectproducts.nl
- · 1.4 Emergency telephone number: European emergency number: 112 (24 h)

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Keep out of reach of children.

EUH208 Contains a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction

Contains biocidal products: a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Below the limits.
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

GB

Printing date 18.12.2020 Version number 1 Revision: 18.12.2020

Trade name: Seal-it® 115 Top-Acryl

(Contd. of page 1)

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water.

If symptoms persist, consult doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed symptomatic treatment

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Water spray.

Fire-extinguishing powder.

Foam.

Carbon dioxide.

- · For safety reasons unsuitable extinguishing agents: Water with full jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow to enter sewers / surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation / exhaustion at the workplace.

Information about fire - and explosion protection:

Protect from heat.

Keep ignition sources away - Do not smoke.

(Contd. on page 3)

Printing date 18.12.2020 Version number 1 Revision: 18.12.2020

Trade name: Seal-it® 115 Top-Acryl

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:

EN 374



Protective gloves

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

Polyethylene gloves.

Recommended thickness of the material:  $\geq 0.02$  mm.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

EN 166



· Body protection: Protective work clothing.

– GF

Printing date 18.12.2020 Version number 1 Revision: 18.12.2020

Trade name: Seal-it® 115 Top-Acryl

(Contd. of page 3)

0.1 Information on basic physical and of General Information	chemical properties		
seneral information Appearance:			
Form:	Paste		
Colour:	According to product specification		
Odour:	Characteristic		
Odour threshold:	Not determined		
H-value:	7-9		
Change in condition			
Melting point/freezing point:	Not determined		
Initial boiling point and boiling range	: Not determined		
Flash point:	> 420 °C		
Flammability (solid, gas):	Not applicable		
Decomposition temperature:	Not determined		
Auto-ignition temperature:	Product is not selfigniting		
Explosive properties:	Product does not present an explosion hazard		
Explosion limits:			
Lower:	Not determined		
Upper:	Not determined		
/apour pressure:	Not determined		
Density:	$1.6 \pm 0.05 \text{ g/cm}^3$		
Relative density	Not determined		
/apour density	Not determined		
Evaporation rate	Not determined		
Solubility in / Miscibility with			
water:	Not miscible or difficult to mix		
Partition coefficient: n-octanol/water:	Not determined		
/iscosity:			
Dynamic:	Not determined		
Kinematic:	Not determined		

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

No hazardous reactions if the regulations / notes for storage and handling of the product will be respected.

No further relevant information available

· 10.2 Chemical stability

· 9.2 Other information

Thermal decomposition / conditions to be avoided:

Stable under recommended storage and handling conditions.

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Handle away from heat, ignition sources, sparks, ignition points, flames, static electricity.

· 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

Printing date 18.12.2020 Version number 1 Revision: 18.12.2020

Trade name: Seal-it® 115 Top-Acryl

(Contd. of page 4)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Dispose of in a safe manner in accordance with local / national regulations.

Do not allow to enter surface or ground water.

Assigning a code from the waste catalogue depends on the sector, in which the user operates, as well as on arrangements made between the waste generator and a competent environment protection department. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · European waste catalogue

15 01 02 plastic packaging

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

### **SECTION 14: Transport information**

- · 14.1 UN-Number
- · ADR, IMDG, IATA Not applicable
- · 14.2 UN proper shipping name
- · ADR, IMDG, IATA Not applicable

(Contd. on page 6)

Printing date 18.12.2020 Version number 1 Revision: 18.12.2020

Trade name: Seal-it® 115 Top-Acryl

		(Contd. of page 5)
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Not applicable	
· 14.4 Packing group		
· ADR, IMDG, IATA	Not applicable	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to An	nex II	
of Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Not applicable	

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

1907/2006/CE Regulation, REACH 1272/2008/CE Regulation, CLP 2015/830/UE Regulation

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Other regulations, limitations and prohibitive regulations
  Restrictions on the marketing and use of certain dangerous substances and mixtures (Annex XVII, REACH):
  No restriction
- Substances of very high concern (SVHC) according to REACH, Article 57 None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

- GB