

Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Product name: Seal-it® 214 Silicon-AW Product No.: SI-214-9200-600

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Used for making joints, sealing and gluing.

Uses advised against: None known.

1.3 Details of the supplier of the safety data sheet:

Manufacturer:

The Netherlands

The Netherlands

Connect Products B.V.

Duurzaamheidsring 220

4231 EX Meerkerk

Telephone: +31 (0)183 731 400

Fax: +31 (0)347 341 645

E-mail: info@connectproducts.nl

Supplier:

Connect Products B.V.

Duurzaamheidsring 220

4231 EX Meerkerk

Telephone: +31 (0)183 731 400

Fax: +31 (0)347 341 645

1.4 Emergency telephone number: CHEMTREC France (24h): +(33)-975181407 / National Poison Centre: + 33 (0)1 45 42 59 59

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture:

The product has not been classified as hazardous according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Not classified

2.2 Label Elements:

Supplemental label information:

EUH210: Safety data sheet available on request.

EUH208: Contains (trimethoxyvinylsilane). May produce an allergic reaction.

2.3 Other hazards:

Physical Hazards: Reacts slowly on contact with water or humidity. In presence of water or

moist air, the product hydrolyses to form hazardous substance(s). The hydrolysis rate and consequently the relevance for the hazard profile of the product is strongly dependent on the conditions of use (temperature,

moisture,...).

SDS_FR - SI-214-9200-600 1/16



Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

Health Hazards:

Inhalation: Under normal conditions of intended use, this material is not expected to be

an inhalation hazard.

Eye contact: No specific symptoms noted.

Skin contact: The product contains a small amount of sensitizing substance which may

provoke an allergic reaction among sensitive individuals in contact with

skin.

Ingestion: No specific symptoms noted.

Other Health Effects: No other information noted.

Environmental Hazards: No hazard identified as the maximum bioavailable concentration of

Octamethylcyclotetrasiloxane (D4) is lower than the classification cut-off

value (see Section 12 of this SDS).

Results of PBT and vPvB

assessment:

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very

bioaccumulative (vPvB).

Endocrine Disruption -

Health:

The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine Disruption -

Environment:

The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other hazards: No other information noted.

Substance(s) formed under the conditions of use:

Chemical name	Concentration*	CAS-No.	EC No.	Classification
Methanol	<=3,5%	67-56-1	200-659-6	Flam. Liq. 2 H225; STOT SE 1
				H370; Acute Tox. 3 H331;
				Acute Tox. 3 H311; Acute Tox.
				3 H301;
Butan-1-ol	<=1,5%	71-36-3	200-751-6	Flam. Liq. 3 H226; Acute Tox.
				4 H302; STOT SE 3 H335; Eye
				Dam. 1 H318; Skin Irrit. 2
				H315; STOT SE 3 H336;

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16.

SECTION 3: Composition/information on ingredients

3.2 Mixtures:

General information:

Mixture of polydimethylsiloxanes, silica and curing agents.

Hazardous Component(s):

Chemical name	Concentration*	Туре	CAS-No.	 REACH Registration No.	Notes
trimethoxyvinylsilane	1 - <5%	Component	2768-02-7	 01-2119513215- 52-XXXX	

SDS_FR - SI-214-9200-600 2/16



Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

octamethylcyclotetrasilox ane; [D4]	0,25 - <2,5%	Impurities	556-67-2	209-136-7	## PBT, vPvB
Decamethylcyclopentasil oxane	0,1 - <1%	Impurities	541-02-6	208-764-9	## vPvB

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Classification:

Chemical name		Specific concentration limits / ATE / M-Factor:	Notes
trimethoxyvinylsilane	Flam. Liq. 3 H226; Acute Tox. 4 H332; Skin Sens. 1B H317;		
octamethylcyclotetrasiloxane; [D4]	Flam. Liq. 3 H226; Repr. 2 H361f; Aquatic Chronic 1 H410;	Aquatic Toxicity (Chronic): 10	
Decamethylcyclopentasiloxane	None known.		

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information:

Move into fresh air and keep at rest. Take off contaminated clothing and wash it before reuse. Get medical attention immediately.

4.1 Description of first aid measures:

Inhalation

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. In case of inhalation: Move person into fresh air and keep at rest. Get medical attention if symptoms occur.

Skin contact:

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin with soap and water. Get medical attention immediately. Contaminated clothing to be placed in closed container until disposal or decontamination. Wash contaminated clothing before reuse.

Eye contact:

In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention if symptoms occur.

Ingestion:

Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.

Personal Protection for First-aid Responders:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). Refer to sections 5 and 8 for information on emergency procedures and protective equipment.

4.2 Most important symptoms and effects, both acute and delayed:

Any important symptoms and effects are described in Section 11 (Toxicological information) of this SDS.

4.3 Indication of any immediate medical attention and special treatment needed:

Notes to the physician:

No specific recommendations. Show this Safety Data Sheet to the attending physician.

SECTION 5: Firefighting measures

SDS_FR - SI-214-9200-600 3/16

[#] This substance has workplace exposure limit(s).

^{##} This substance is listed as SVHC.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

ED: Endocrine Disruptor



Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

5.1 Extinguishing media:

Suitable extinguishing media:

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media:

Do not use water jet as an extinguisher, as this will spread the fire. For further information, refer to section 10: "Stability and Reactivity".

5.2 Special hazards arising from the substance or mixture:

Product will burn under fire conditions. Thermal decomposition or combustion may liberate carbon oxides, silicon oxides and other toxic gases or vapors.

5.3 Advice for firefighters:

Special fire fighting procedures:

Use standard firefighting procedures and consider the hazards of other involved materials. Remove undamaged containers from fire area if it is safe to do so. Evacuate to a safe location and contact the emergency services. Water spray should be used to cool containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ventilate the area. Do not breathe vapor. Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment.

6.2 Environmental Precautions:

Do not discharge into drains, water courses or onto the ground. Collect spillage.

6.3 Methods and material for containment and cleaning up:

Absorb with sand or other inert absorbent. Collect in containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. To clean the floor and all objects contaminated by this material, use an appropriate solvent (see § 9). Flush area with plenty of water. Incinerate in suitable combustion chamber.

6.4 Reference to other sections:

Caution: Contaminated surfaces may be slippery. For waste disposal, see Section 13 of the SDS.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Precautions:

Handle in accordance with good industrial hygiene and safety practices. No special precautions are necessary beyond normal good hygiene practices. See Section 8 of the SDS for additional personal protection advice when handling this product. Take care to prevent spills, waste and minimize release to the environment. In case of spills, beware of slippery floors and surfaces.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

SDS_FR - SI-214-9200-600 4/16



Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local/regional/national regulations. Avoid discharge into drains, water courses or onto the ground. Store in a dry place. Keep in properly labelled containers. Keep above the chemical's freezing point. Protect against physical damage and/or friction. Store away from incompatible materials. For further information, refer to section 10: "Stability and Reactivity".

Packaging frequently used at our sites:

Steel drums coated with epoxy-resin.

7.3 Specific end use(s):

No specific recommendations. See the technical data sheet on this product for further information.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters:

Occupational Exposure Limits:

octamethylcyclotetrasiloxane; [D4]

Туре	Exposure L	imit Values	Source	Date	Remarks
TWA	10 ppm	120 mg/m3	WEEL		

Additional exposure limits under the conditions of use:

methanol

Туре	Exposure L	imit Values	Source	Date	Remarks
TWA	200 ppm	260 mg/m3	EU ELV	12 2009	Indicative
VME	200 ppm	260 mg/m3	INRS (FR)	07 2012	Regulatory binding (VRC)
SKIN_DES	-	-	INRS (FR)	07 2012	Can be absorbed through the skin.
VME	200 ppm	260 mg/m3	FR MOELWD	03 2016	
SKIN_DES	-	=	EU ELV	02 2017	Can be absorbed through the skin.
VLE	1 000 ppm	1 300 mg/m3	INRS (FR)	03 2020	Indicative limit (VL)

butan-1-ol

Туре	Exposure L	imit Values	Source	Date	Remarks
VLE	50 ppm	150 mg/m3	INRS (FR)	03 2020	Indicative limit (VL)

Monitoring methods:

Ensure workers' exposure monitoring in accordance with national and European regulations in force, in particular Directives 98/24/EC and 2004/37/EC.

8.2 Exposure controls:

Appropriate Engineering Controls:

Use engineering controls to reduce air contamination to permissible exposure level. The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Engineering controls are always preferable to personal protective equipment. Control measures to consider: Provide adequate ventilation. In case of inadequate ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment:

Avoid inhalation of vapors/aerosols/dusts and contact with skin and eyes. Personal protective equipment should be chosen according to applicable standards, adapted to the conditions of use of the product and in discussion with the supplier of the personal protective equipment.

Eye/face protection: Safety glasses with side shields.

SDS_FR - SI-214-9200-600 5/16



Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

Hand Protection:

This recommendation is valid only for the product named in this safety data sheet supplied by us, and only for the indicated intended use purposes. In case this product will be mixed with other substances, you need to contact a supplier of CE approved protective gloves in order to determine the appropriate gloves.

Prolonged or repeated contact:

Material: Nitrile.

Glove thickness: 1,25 mm Guideline: EN374-3

Additional Information: Gloves commonly used in Elkem's

facilities.

Short contact:

Material: Nitrile / Neoprene Glove thickness: 0,198 mm

Guideline: EN374-3

Additional Information: Gloves commonly used in Elkem's

labs.

Skin and Body Protection: Wear appropriate clothing to prevent any possibility of skin

contact. Isolate contaminated clothing and wash before reuse. In case of splashes: Wear apron or special protective

clothing.

Respiratory Protection: If engineering controls do not maintain airborne

concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use the following CE approved airpurifying respirator: Breathing apparatus with combined filter type ABEK. Wear respiratory protection with combination filter (dust and gas filter) during operations leading to the

formation of dust/aerosols.

Environmental Controls:

See sections 7 and 13 of the Safety Data Sheet.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance:

Physical state: Liquid

Form: Thixotropic Paste

Color: Beige Odor: Faint

pH: By definition, pH measurement consists in the

determination of hydrogen ions concentration in solution, generally aqueous. Silicones products are hydrophobic and therefore, not soluble in water. By consequence, it is

not possible to measure the pH value.

Melting point/freezing point:No data available.Boiling Point:No data available.

Flash Point: 117 °C / 243 °F (Closed cup according to method Afnor T

60103.)

Flammability: No data available. Flammability Limit - Upper (%): No data available.

SDS_FR - SI-214-9200-600 6/16



Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

Flammability Limit - Lower (%):

Vapor pressure:

Relative vapor density:

No data available.

No data available.

No data available.

No data available.

Density: Approximate 1,4 kg/dm3 (20 °C)

Solubility(ies):

Solubility in Water: Practically Insoluble

Solubility (other): Ethanol: Very slightly soluble

Acetone: Miscible (in all proportions).

Aliphatic hydrocarbons: Miscible (in all proportions). Aromatic hydrocarbons: Miscible (in all proportions). Chlorinated solvents: Miscible (in all proportions).

Partition coefficient (n-octanol/water):

Self Ignition Temperature:

No data available.

Not applicable.

9.2 Other information:

Oxidizing properties: According to the data on the components

(evaluation by structure-activity relationship)

Not considered as oxidizing.

SECTION 10: Stability and reactivity

10.1 Reactivity:

Vulcanizes at room temperature on contact with moisture in the air.

10.2 Chemical Stability:

Stable at room temperature provided it is not in contact with air.

10.3 Possibility of hazardous reactions:

During use or in contact with water, may generate hazardous substances.

10.4 Conditions to avoid:

No other information noted.

10.5 Incompatible Materials:

Strong oxidizing agents. Water.

10.6 <u>Hazardous Decomposition Products:</u>

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Amorphous silica.

SECTION 11: Toxicological information


Information on likely routes of exposure:

Inhalation: No data available.

Ingestion: No data available.

Skin contact: No data available.

SDS_FR - SI-214-9200-600 7/16





Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

Eye contact: No data available.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

Acute toxicity:

Oral:

Not classified for acute toxicity based on available data.

Dermal:

Not classified for acute toxicity based on available data.

Inhalation:

Not classified for acute toxicity based on available data.

Repeated dose toxicity:

Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

NOAEL: < 62,5 mg/kg ; LOAEL: 62,5 mg/kg ; (Rat ; Female, Male ; Gavage (Oral)) ; Method: OECD 422 ; Subacute exposure.

NOAEL: 0,0605 mg/l; (Rat; Female, Male; Inhalation - vapour); Subchronic exposure.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

NOAEL: 1,82 mg/l; (Rat; Female, Male; Inhalation - vapour); Method: Similar to OECD 453; Chronic exposure.

NOAEL: 960 mg/kg; (Rabbit; Female, Male; Dermal); Method: Similar to OECD 410; Subacute exposure.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

NOAEL: 1 000 mg/kg; (Rat; Female, Male; Oral); Method: OECD 408; Subchronic exposure.

NOAEL: 2,42 mg/l; (Rat; Female, Male; Inhalation - vapour); Method: OECD 453; Chronic exposure.

NOAEL: 1 600 mg/kg; (Rat; Female, Male; Dermal); Method: OECD 410; Subacute exposure.

Skin Corrosion/Irritation:

Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

Not irritating (Rabbit; 24 h); Method: Occluded (Dermal)

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Not irritating (Rabbit); Method: Similar to OECD 404

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not irritating (Rabbit); Method: OECD 404

Serious Eye Damage/Eye Irritation:

Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

Not irritating (Rabbit ; 24 h) ; Method: OECD 405

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Not irritating (Rabbit); Method: OECD 405

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not irritating (Rabbit); Method: OECD 405

Respiratory or Skin Sensitization:

SDS_FR - SI-214-9200-600 8/16

Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

Not a skin sensitizer.

Skin sensitization: No effect observed up to the highest dose tested. (Guinea Pig); Method: OECD 406; Results obtained on a similar product.

Germ Cell Mutagenicity:

In vitro: Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

Bacterial reverse mutation test: negative (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation); Method: OECD 471

Chromosomal aberration: positive (Chinese hamster lung cells; With metabolic activation); Method: OECD 473

In vitro gene mutations test on mammalian cells: negative (Chinese hamster ovary cells; with and without metabolic activation); Method: OECD 476

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium; with and without metabolic activation); Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: Similar to OECD 476

In vitro mammalian chromosomal aberration test: No clastogenic effect. (Chinese hamster ovary cells; with and without metabolic activation); Method: Similar to OECD 473

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Bacterial reverse mutation test: No mutagenic components identified. (Salmonella typhimurium and Escherichia coli; with and without metabolic activation); Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic components identified. (Mouse lymphoma cells; with and without metabolic activation); Method: OECD 476

Chromosomal aberration: No clastogenic effect. (Chinese hamster lung cells; with and without metabolic activation); Method: OECD 473

In vivo: Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

Mammalian erythrocyte micronucleus test: No mutagenic effect. (Mouse ; Female, Male ; Intraperitoneal) ; Method: OECD 474

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Mammalian bone marrow chromosomal aberration test: negative (Rat; Female, Male; Inhalation); Method: Similar to OECD 475

Rodent dominant Lethal test: negative (Rat; Female, Male; Gavage (Oral)); Method: Similar to OECD 478

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Mammalian erythrocyte micronucleus test: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 474 Unscheduled DNA Synthesis (UDS) Test with mammalian liver cells in vivo: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 486

Carcinogenicity:

Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Not classified


No effects expected. NOAEC: >= 8,492 mg/l (Rat ; Female, Male ; Inhalation - vapor) ; Method: Similar to OECD 453 ; Chronic exposure.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not classified

NOAEC: >= 2,42 mg/l (Rat; Female, Male; Inhalation - vapor); Method: Similar to OECD 453; Chronic exposure. No carcinogenic effects relevant to humans.

SDS_FR - SI-214-9200-600 9/16





Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

Reproductive toxicity:

Fertility: Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

Not classified

Reproduction/developmental toxicity screening test: NOAEL (parent): 250 mg/kg; NOAEL (F1): None.; NOAEL (F2): None. (Rat; female; Gavage (Oral)); Method: OECD 422; The product is not considered to affect fertility.

Reproduction/developmental toxicity screening test: NOAEL (parent): 1 000 mg/kg NOAEL (F1): None.; NOAEL (F2): None. (Rat; Male; Gavage (Oral)); Method: OECD 422; The product is not considered to affect fertility.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Suspected of damaging fertility.

Fertility study 2 generations: NOAEL (parent): 3,64 mg/l; NOAEL (F1): 3,64 mg/l; NOAEL (F2): None. (Rat; Female, Male; Inhalation); Method: Similar to OECD 416; Effects on fertility

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not classified

Fertility study 2 generations: NOAEL (parent): > 2,496 mg/l; NOAEL (F1): 2,496 mg/l; NOAEL (F2): None. (Rat; Female, Male; Inhalation - vapor); Method: OECD 416

Teratogenicity: Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

Not classified

NOAEL (terato): 0,6 mg/l; NOAEL (mater): 0,15 mg/l (Rat; Inhalation - vapor); Method: According to a standardised method.; The product is not considered to be toxic for development.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

NOAEL (terato): >= 8,492 mg/l; NOAEL (mater): 3,64 mg/l (Rat; Inhalation - vapor); Method: Similar to OECD 414; The product is not considered to be toxic for development.

NOAEL (terato): >= 6,066 mg/l; NOAEL (mater): 3,64 mg/l (Rabbit; Inhalation - vapor); Method: Similar to OECD 414; The product is not considered to be toxic for development.

Specific Target Organ Toxicity - Single Exposure:

Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

Based on available data, the classification criteria are not met.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Based on available data, the classification criteria are not met.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure:

Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

Based on available data, the classification criteria are not met.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Based on available data, the classification criteria are not met.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

Aspiration Hazard:

SDS_FR - SI-214-9200-600 10/16



Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

Based on available data, the classification criteria are not met.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Based on available data, the classification criteria are not met.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

11.2 Information on other hazards:

Endocrine disrupting properties:

No data available.

SECTION 12: Ecological information

General information:

The maximum concentration of Octamethylcyclotetrasiloxane (D4) in the aquatic environment is estimated to be below the established no-effect threshold (<0.0079 mg/l) for aquatic organisms (based on partition coefficient, tested on similar products).

12.1 Toxicity:

Acute toxicity:

Fish: Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

LC 50 (Oncorhynchus mykiss; 96 h): 191 mg/l

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

LC 50 (Oncorhynchus mykiss; 96 h; Flow through) : > 0,022 mg/l; Method: According to a standardised method.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

LC 50 (Oncorhynchus mykiss; 96 h; Flow through) : > 0,016 mg/l; Method: OECD 204 NOEC (Oncorhynchus mykiss; 96 h; Flow through) : >= 0,016 mg/l; Method: OECD 204

Aguatic Invertebrates: Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

EC 50 (Water flea (Daphnia magna); 48 h; Static): 168,7 mg/l; Method: According to a standardised method.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

EC 50 (Water flea (Daphnia magna); 48 h; Flow through) : > 0,015 mg/l; Method: According to a standardised method.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

EC 50 (Water flea (Daphnia magna); 48 h; Flow through) : > 0,0029 mg/l; Method: OECD 202 NOEC (Water flea (Daphnia magna); 48 h; Flow through) : >= 0,0029 mg/l; Method: OECD 202

Aquatic plants: Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

EC 50 (Algae (Pseudokirchneriella subcapitata); 7 d; Static) : 210 mg/l; Method: According to a standardised method.

EC10 (Algae (Pseudokirchneriella subcapitata); 7 d; Static): 25 mg/l; Method: According to a standardised method.

NOAEC (Algae (Pseudokirchneriella subcapitata); 7 d; Static): 32 mg/l; Method: According to a

SDS_FR - SI-214-9200-600 11/16

Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

standardised method.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

ErC50 (Algae (Pseudokirchneriella subcapitata); 96 h) : > 0,022 mg/l ; Method: According to a standardised method.

ErC10 (Algae (Pseudokirchneriella subcapitata); 96 h) : >= 0,022 mg/l ; Method: According to a standardised method.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

EC 50 (Algae (Pseudokirchneriella subcapitata); 96 h; Static) : > 0,012 mg/l; Method: OECD 201 NOEC (Algae (Pseudokirchneriella subcapitata); 96 h; Static) : >= 0,012 mg/l; Method: OECD 201

Toxicity to microorganisms: Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

EC 50 (3 h): > 10 000 mg/l

Chronic Toxicity:

Fish: Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

NOEC (Oncorhynchus mykiss; 93 d ; Flow through) : >= 0,0044 mg/l ; Method: According to a standardised method.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

NOEC (Oncorhynchus mykiss; 90 d; Flow through): >= 0,014 mg/l; Method: OECD 210

Aquatic Invertebrates: Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

NOEC (Water flea (Daphnia magna); 21 d): 0,0079 mg/l; Method: EPA OTS 797.1330 (Daphnid Chronic Toxicity Test); CLH report / RAC Opinion

NOEC (Water flea (Daphnia magna); 21 d; Flow through) : >= 0,015 mg/l; Method: According to a standardised method.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

NOEC (Water flea (Daphnia magna); 21 d; semi-static); >= 0,015 mg/l; Method: OECD 211

12.2 Persistence and Degradability:

Biodegradation: Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

51 % (activated sludge, domestic (adaptation not specified); 28 d; Oxygen depletion); Method: OECD 301 F; The product is not readily biodegradable.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

3,7 % (activated sludge and sewage, soil; 28 d); Method: OECD 310; The product is not considered to be readily biodegradable.

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

0,14 % (28 d); The product is not readily biodegradable.

BOD/COD Ratio: No data available.

12.3 Bioaccumulative potential:

Bioconcentration Factor (BCF): Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Bioconcentration Factor (BCF): 14 900 (Fathead Minnow); Method: OECD 305; Not bioaccumulable based on the depuration rate constant

SDS_FR - SI-214-9200-600 12/16



Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Bioconcentration Factor (BCF): 16 200 (Pimephales promelas); Method: OECD 305; The product is not bioaccumulating.

Partition coefficient (n-octanol/water): Based on our knowledge of the composition information:

TRIMETHOXYVINYLSILANE (2768-02-7):

Log Kow: -2 (20 °C); Method: estimated; at pH 7, Results obtained on a similar product.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Log Kow: 6,49 (25 °C); Method: OECD 123

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Log Kow: 8,02 (25,3 °C); Method: OECD 123

12.4 Mobility in soil:

No data available.

12.5 Results of PBT and vPvB assessment:

Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Meets PBT (persistent/bioaccumulative/toxic) criteria. (REACH (1907/2006) Ax XIII)

Meets vPvB criteria (REACH (1907/2006) Ax XIII)

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Meets vPvB criteria (REACH (1907/2006) Ax XIII)

12.6 Endocrine disrupting properties:

No data available.

12.7 Other adverse effects:

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

The user's attention is drawn to the possible existence of local regulations regarding disposal.

Disposal methods:

Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Incinerate.

Contaminated Packaging:

Contaminated packages should be as empty as possible. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Recycle following cleaning or dispose of at an authorised site.

SECTION 14: Transport information

ADR

Not regulated.

ADN

Not regulated.

RID

SDS_FR - SI-214-9200-600 13/16



Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

Not regulated.

IMDG / IMO

Not regulated.

IATA

Not regulated.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations:

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: None present or none present in regulated quantities.

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: None present or none present in regulated quantities.

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended: None present or none present in regulated quantities.

EU. Directive 2010/75/EU on Industrial Emissions (IPPC), Annex II, L 334/17:

Chemical name	CAS-No.
octamethylcyclotetrasiloxane; [D4]	556-67-2

EU. REACH Annex XIV, Substances Subject to Authorization: None present or none present in regulated quantities.

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration	Additional Information:
octamethylcyclotetrasiloxane; [D4]	556-67-2	0,25 - 2,5%	Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%	very Persistent and very Bioaccumulative (vPvB)

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

SDS_FR - SI-214-9200-600 14/16



Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

Chemical name	CAS-No.	Entry No:	Concentration:
octamethylcyclotetrasiloxane; [D4]	556-67-2	70	0,25 - 2,5%
Decamethylcyclopentasiloxane	541-02-6	70	0,1 - 1,0%

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
trimethoxyvinylsilane	2768-02-7	1,0 - 10%
octamethylcyclotetrasiloxane; [D4]	556-67-2	0,25 - 2,5%

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants: None present or none present in regulated quantities.

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I: Not applicable.

15.2 Chemical safety assessment:

As this product is not classified as hazardous, a chemical safety assessment is not required. For safe use information, please refer to section 8 of this SDS.

Inventory Status:

Australia Industrial Chem. Act (AIIC): On or in compliance with the inventory. Canada DSL Inventory List: Not in compliance with the inventory. Not in compliance with the inventory. Canada NDSL Inventory: China Inv. Existing Chemical Substances: On or in compliance with the inventory. On or in compliance with the inventory. Japan (ENCS) List: Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory. New Zealand Inventory of Chemicals: On or in compliance with the inventory. On or in compliance with the inventory. Philippines PICCS: Taiwan Chemical Substance Inventory: On or in compliance with the inventory. **US TSCA Inventory:** On or in compliance with the inventory. EINECS, ELINCS or NLP: On or in compliance with the inventory.

SECTION 16: Other information

Revision Information:

SECTION 2: Modification: Label Elements

SECTION 3: Modification: Composition/information on ingredients

SECTION 15: Modification: Regulatory information

Abbreviations and acronyms:

CLP: Regulation No. 1272/2008.

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

NOAEL - No Observable Adverse Effect Level LOAEL - Lowest Observable Adverse Effect Level

ED: Endocrine Disruptor

SVHC: Listed on the Candidate List of substances of very high concern (SVHC)

Wording of the H-statements in section 2 and 3:

EUH208 Contains <name of sensitising substance>. May produce an allergic reaction.

EUH210 Safety data sheet available on request. H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.

SDS_FR - SI-214-9200-600 15/16



Version: 10.0

Revision Date: 17.02.2022 Supersedes Date: 25.10.2018

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H370	Causes damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
H410	Very toxic to aquatic life with long lasting effects.

Issue Date: 17.02.2022

Disclaimer:

The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS_FR - SI-214-9200-600 16/16