

Safety data sheet

according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 20.03.2024

Version number 1

Revision: 20.03.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **Product identifier**
- **Trade name:** Seal-it® 215 Silicon-NF
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** *Sealant*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Connect Products B.V.
Duurzaamheidsring 220
NL-4231 EX Meerkerk
Tel.: +31 (0)183 731 400
info@connectproducts.nl*
- **Further information obtainable from:** *Product Safety Department*
- **Emergency telephone number:** *Giftinformationszentrum-Nord; Tel.: +49 (0)551 19240*

SECTION 2: Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the GB CLP regulation.
- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** *Void*
- **Hazard pictograms** *Void*
- **Signal word** *Void*
- **Hazard statements** *Void*
- **Additional information:**
*Contains 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.
Safety data sheet available on request.*
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

SECTION 3: Composition/information on ingredients

- **Mixtures**
- **Description:** *Mixture of substances listed below with nonhazardous additions.*

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 20.03.2024

Version number 1

Revision: 20.03.2024

Trade name: Seal-it® 215 Silicon-NF

(Contd. of page 1)

Dangerous components:

CAS: 37859-55-5	O,O',O''-(methylsilyldiylne)trioxime 2-pentanone ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319	1-<5%
CAS: 26530-20-1 EINECS: 247-761-7	2-octyl-2H-isothiazol-3-one ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Skin Corr. 1, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥0.0015 %	≥0.00025-<0.0015%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **Precautions for safe handling** No special precautions are necessary if used correctly.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 20.03.2024

Version number 1

Revision: 20.03.2024

Trade name: Seal-it® 215 Silicon-NF

(Contd. of page 2)

- **Information about fire - and explosion protection:** *No special measures required.*
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** *No special requirements.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:** *None.*
- **Storage class:** 13
- **Specific end use(s):** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** *The lists valid during the making were used as basis.*
- **Exposure controls**
- **Appropriate engineering controls** *No further data; see section 7.*
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** *Wash hands before breaks and at the end of work.*
- **Respiratory protection:** *Not required.*
- **Hand protection**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
Chemical-resistant protective gloves (EN ISO 374).
Minimum layer thickness: 0.5 mm
Permeation time (breakthrough time): 240 min
The breakthrough times determined in accordance with EN 16523-1 were not carried out under practical conditions.
A maximum wearing time corresponding to 50 % of the breakthrough time is recommended.
Nitrile rubber, NBR
Butyl rubber, BR
Chloroprene rubber, CR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

GB

Safety data sheet

according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 20.03.2024

Version number 1

Revision: 20.03.2024

Trade name: Seal-it® 215 Silicon-NF

(Contd. of page 3)

· Eye/face protection

*Tightly sealed goggles*

SECTION 9: Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Physical state

Solid

· Colour:

Various colours

· Odour:

Characteristic

· Odour threshold:

Not determined.

· Melting point/freezing point:

Undetermined.

· Boiling point or initial boiling point and boiling range

Undetermined.

· Flammability

Not determined.

· Lower and upper explosion limit

· Lower:

Not determined.

· Upper:

Not determined.

· Flash point:

Not applicable.

· Decomposition temperature:

Not determined.

· pH

Not applicable.

· Viscosity:

· Kinematic viscosity

Not applicable.

· Dynamic:

Not applicable.

· Solubility

· water:

Insoluble.

· Partition coefficient n-octanol/water (log value)

Not determined.

· Vapour pressure:

Not applicable.

· Density and/or relative density

· Density at 20 °C:

1.02 g/cm³

· Relative density

Not determined.

· Vapour density

Not applicable.

· Other information

· Appearance:

· Form:

Pasty

· Important information on protection of health and environment, and on safety.

· Ignition temperature:

Product is not selfigniting.

· Explosive properties:

Product does not present an explosion hazard.

· Change in condition

· Evaporation rate

Not applicable.

· Information with regard to physical hazard classes

· Explosives

Void

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 20.03.2024

Version number 1

Revision: 20.03.2024

Trade name: Seal-it® 215 Silicon-NF

(Contd. of page 4)

· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

SECTION 11: Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** *Based on available data, the classification criteria are not met.*

- **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	77,125 mg/kg (rat)
------	------	--------------------

CAS: 37859-55-5 O,O',O''-(methylsilylidyne)trioxime 2-pentanone

Oral	LD50	1,234 mg/kg (rat)
------	------	-------------------

Dermal	LD50	>1,782 mg/kg (rat)
--------	------	--------------------

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

Oral	LD50	125 mg/kg (ATE)
------	------	-----------------

Dermal	LD50	311 mg/kg (ATE)
--------	------	-----------------

Inhalative	LC50/4 h	0.27 mg/l (ATE)
------------	----------	-----------------

- **Skin corrosion/irritation** *Based on available data, the classification criteria are not met.*
- **Serious eye damage/irritation** *Based on available data, the classification criteria are not met.*
- **Respiratory or skin sensitisation** *Based on available data, the classification criteria are not met.*

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 20.03.2024

Version number 1

Revision: 20.03.2024

Trade name: Seal-it® 215 Silicon-NF

(Contd. of page 5)

- **Germ cell mutagenicity** *Based on available data, the classification criteria are not met.*
- **Carcinogenicity** *Based on available data, the classification criteria are not met.*
- **Reproductive toxicity** *Based on available data, the classification criteria are not met.*
- **STOT-single exposure** *Based on available data, the classification criteria are not met.*
- **STOT-repeated exposure** *Based on available data, the classification criteria are not met.*
- **Aspiration hazard** *Based on available data, the classification criteria are not met.*
- **Information on other hazards**

Endocrine disrupting properties
None of the ingredients is listed.

SECTION 12: Ecological information

Toxicity
Aquatic toxicity:
CAS: 37859-55-5 O,O',O''-(methylsilyldi)trioxime 2-pentanone
LC50/96h (static) >113 mg/l (fish) (freshwater, stat., OECD 203)
EC50/48h >113 mg/l (daphnia) (freshwater, stat., OECD 202)

- **Persistence and degradability** *No further relevant information available.*
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**
*Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*

SECTION 13: Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** *Disposal must be made according to official regulations.*

SECTION 14: Transport information

- **UN number or ID number**
- **ADR, IMDG, IATA** *not regulated*

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 20.03.2024

Version number 1

Revision: 20.03.2024

Trade name: Seal-it® 215 Silicon-NF

(Contd. of page 6)

· UN proper shipping name	
· ADR, IMDG, IATA	<i>not regulated</i>
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	<i>not regulated</i>
· Packing group	
· ADR, IMDG, IATA	<i>not regulated</i>
· Environmental hazards:	<i>Not applicable.</i>
· Special precautions for user	<i>Not applicable.</i>
· Maritime transport in bulk according to IMO instruments	<i>Not applicable.</i>
· UN "Model Regulation":	<i>not regulated</i>

SECTION 15: Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

- Named dangerous substances - ANNEX I *None of the ingredients is listed.*
- Chemical safety assessment: *A Chemical Safety Assessment has not been carried out.*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H301 *Toxic if swallowed.*
- H302 *Harmful if swallowed.*
- H311 *Toxic in contact with skin.*
- H314 *Causes severe skin burns and eye damage.*
- H317 *May cause an allergic skin reaction.*
- H318 *Causes serious eye damage.*
- H319 *Causes serious eye irritation.*
- H330 *Fatal if inhaled.*

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 20.03.2024

Version number 1

Revision: 20.03.2024

Trade name: Seal-it® 215 Silicon-NF

(Contd. of page 7)

*H400 Very toxic to aquatic life.**H410 Very toxic to aquatic life with long lasting effects.**EUH071 Corrosive to the respiratory tract.*· **Department issuing SDS:** Product Safety Department· **Contact:** info@connectproducts.nl· **Abbreviations and acronyms:***ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**ATE: Acute toxicity estimate values**Acute Tox. 3: Acute toxicity – Category 3**Acute Tox. 4: Acute toxicity – Category 4**Acute Tox. 2: Acute toxicity – Category 2**Skin Corr. 1: Skin corrosion/irritation – Category 1**Eye Dam. 1: Serious eye damage/eye irritation – Category 1**Eye Irrit. 2: Serious eye damage/eye irritation – Category 2**Skin Sens. 1A: Skin sensitisation – Category 1A**Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*· * **Data compared to the previous version altered.**

GB