

Page 1/7

# Safety data sheet according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024 Version number 1 Revision: 02.04.2024

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · Product identifier
- · Trade name: Seal-it® 325 Pro-Paint
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Adhesives Sealant

- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Connect Products B.V. Duurzaamheidsring 220 NL-4231 EX Meerkerk Tel.: +31 (0)183 731 400 info@connectproducts.nl

- · Further information obtainable from: Product Safety Department
- · Emergency telephone number: Giftinformationszentrum-Nord; Tel.: +49 (0)551 19240

#### **SECTION 2: Hazards identification**

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.
- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains trimethoxyvinylsilane. May produce an allergic reaction.

Safety data sheet available on request.

Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous con	nponents:		
CAS: 13463-67- EINECS: 236-67		titanium dioxide substance with a Community workplace exposure limit	<5%
CAS: 2768-02-7 EINECS: 220-44 Reg.nr.: 01-2119 XXXX	19-8	trimethoxyvinylsilane  Trimethoxyvinylsilane  Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Sens. 1B, H317	1–≤2.5%

(Contd. on page 2)



Page 2/7

# Safety data sheet according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024 Version number 1 Revision: 02.04.2024

Trade name: Seal-it® 325 Pro-Paint

(Contd. of page 1)

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Storage class: 13
- · Specific end use(s) No further relevant information available.

GB



Page 3/7

# Safety data sheet according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024 Version number 1 Revision: 02.04.2024

Trade name: Seal-it® 325 Pro-Paint

(Contd. of page 2)

#### **SECTION 8: Exposure controls/personal protection**

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

CAS: 13463-67-7 titanium dioxide

WEL Long-term value: 10\* 4\*\* mg/m³
\*total inhalable \*\*respirable

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Chemical-resistant protective gloves (EN ISO 374).

Minimum layer thickness: 0.5 mm

Permeation time (breakthrough time): 480 min

The breakthrough times determined according to EN 16523-1 were not carried out under practical conditions.

A maximum wearing time corresponding to 50 % of the breakthrough time is recommended.

Nitrile rubber, NBR Butyl rubber, BR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

#### **SECTION 9: Physical and chemical properties**

- · Information on basic physical and chemical properties
- · General Information

· Physical state Solid

Colour: Various colours
Odour: Characteristic

(Contd. on page 4)



Page 4/7

## Safety data sheet according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024 Version number 1 Revision: 02.04.2024

Trade name: Seal-it® 325 Pro-Paint

(Contd. of page 3)

· Odour threshold: Not determined. · Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and

boiling range Undetermined. Flammability Not determined.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable. Decomposition temperature: Not determined. · pH Not applicable.

· Viscosity:

· Kinematic viscosity Not applicable. · Dynamic: Not applicable.

·Solubility

· water: Insoluble.

Partition coefficient n-octanol/water (log

Not determined. value) Vapour pressure: Not applicable.

Density and/or relative density

Density at 20 °C: 1.38 g/cm<sup>3</sup> Relative density Not determined. · Vapour density Not applicable.

· Other information

· Appearance:

· Form: Pasty

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard

classes · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void · Flammable solids Void Void

· Self-reactive substances and mixtures · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void

· Substances and mixtures, which emit

flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void Organic peroxides Void

(Contd. on page 5)



Page 5/7

# Safety data sheet according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024 Version number 1 Revision: 02.04.2024

Trade name: Seal-it® 325 Pro-Paint

(Contd. of page 4)

Corrosive to metals Void
Desensitised explosives Void

## **SECTION 10: Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions *No dangerous reactions known.*
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values rel	evant for classification:			
CAS: 134	63-67-7 tit	anium dioxide			
Oral	LD50	>20,000 mg/kg (rat)			
Dermal	LD50	>10,000 mg/kg (rabbit)			
Inhalative	LC50/4 h	>6.82 mg/l (rat)			
CAS: 276	CAS: 2768-02-7 trimethoxyvinylsilane				
Oral	LD50	6,899 mg/kg (rat)			
Dermal	LD50	3,158 mg/kg (rab)			

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

Trimethoxyvinylsilane (CAS: 2768-02-7) is classified as a skin sensitiser category 1B (Skin Sens. 1B) according to Annex VI of Regulation (EC) No 1272/2008 based on vivo data with laboratory animals. However, no allergic reactions were observed after occupational contact. Mixtures with trimethoxyvinylsilane (up to 5% active substance) in polymers of different viscosities were tested in the "local lymph node assay" (OECD 429). None of the mixtures showed a sensitising potential. This result serves as the basis for our expert assessment, taking into account the entire composition when classifying and labelling polymer mixtures.

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/7

## Safety data sheet according to 1907/2006/EC, Article 31 / 2020/878/EU

Version number 1 Revision: 02.04.2024 Printing date 02.04.2024

Trade name: Seal-it® 325 Pro-Paint

(Contd. of page 5)

Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### **SECTION 13: Disposal considerations**

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

UN number or ID number		
ADR, IMDG, IATA	not regulated	
UN proper shipping name		
ADR, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	

(Contd. on page 7)



Page 7/7

# Safety data sheet according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024 Version number 1 Revision: 02.04.2024

Trade name: Seal-it® 325 Pro-Paint

(Contd. of page 6)

Special precautions for user Not applicable.

· Maritime transport in bulk according to IMO

instruments Not applicable.

· UN "Model Regulation": not regulated

### **SECTION 15: Regulatory information**

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

- · Department issuing SDS: Product safety department
- · Contact: info@connectproducts.nl
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Sens. 1B: Skin sensitisation - Category 1B

\* Data compared to the previous version altered.