


+31 (0)183 731 400

www.connectproducts.nl





SILICONE

| Acrylic | 14 |
|---------------------------|----|
| | |
| Seal-it® 110 Uni-Acryl | 16 |
| Seal-it® 115 Top-Acryl | 16 |
| Seal-it® 120 Spac-Cryl | 17 |
| Seal-it® 125 Plaster-Fill | 17 |
| Seal-it® 130 Cement-Fix | 18 |



| Silicone | 20 |
|--------------------------|----|
| | |
| Seal-it® 210 Silicon-GR | 22 |
| Seal-it® 211 Silicon-HT | 22 |
| Seal-it® 212 Silicon-AT | 23 |
| Seal-it® 214 Silicon-AW | 23 |
| Seal-it® 215 Silicon-NF | 24 |
| Seal-it® 216 Silicon-SA | 24 |
| Seal-it® 217 Silicon-EP | 25 |
| Seal-it® 218 Silicon-CL | 25 |
| Seal-it® 220 Silicon-FR | 26 |
| Seal-it® 226 Silicon-CS | 26 |
| Seal-it® 230 Topflex-P | 27 |
| Seal-it® 235 Elasto-Stop | 27 |
| Seal-it® 250 Silicon-All | 28 |



| MSP/Hybrid | 30 |
|---------------------------|----|
| | |
| Seal-it® 310 MS-EPDM | 32 |
| Seal-it® 315 Facade-LM | 32 |
| Seal-it® 318 Facade-Pro | 33 |
| Seal-it® 320 Facade-SL | 33 |
| Seal-it® 325 Pro-Paint | 34 |
| Seal-it® 330 Sprayseal | 34 |
| Seal-it® 331 Hybri-Coat | 35 |
| Seal-it® 335 Hybri-Stop | 35 |
| Seal-it® 340 Crystal | 36 |
| Seal-it® 345 Floor-Bond | 36 |
| Seal-it® 350 Super-All | 37 |
| Seal-it® 351 MS Super-All | 37 |
| Seal-it® 352 Super-Pro | 38 |
| Seal-it® 360 High-Tack | 38 |
| Seal-it® 380 Foil-Bond | 39 |



| Seal-it® 450 Pur Cleaner | 44 |
|---------------------------|----|
| Seal-it® 470 Pu-Foam Gun | 44 |
| Seal-it® 471 Pu-Foam Flex | 45 |
| Seal-it® 472 Pu-Fire Foam | 45 |
| Seal-it® 475 Pu-Foam Hand | 46 |
| Seal-it® 477 Pu-Fixfoam | 46 |
| Seal-it® 478 Pu-Stonefix | 47 |
| | |



| Miscellaneous | 48 |
|-------------------------------|----|
| | |
| Seal-it® 710 Montagefix-PU | 50 |
| Seal-it® 720 Chem-Fix | 50 |
| Seal-it® 730 Butylene Sealant | 51 |
| Seal-it® 740 Disinfectant | 51 |



| Accessories | 52 |
|----------------------------------|-------|
| | |
| Seal-it® 510 Cleaner | 54 |
| Seal-it® 515 Ultra-Wipes | 54 |
| Seal-it® 520 Primer | 55 |
| Seal-it® 520 Panelprimer | 55 |
| Seal-it® 525 Clean & Bond | 56 |
| Seal-it® 530 Poxyfix | 56 |
| Seal-it® 540 Backer Rod Foam | 57 |
| Seal-it® 550 Finish | 57 |
| Seal-it® 560 Panel Tape | 58 |
| Seal-it® 561 Masking-Tape | 58 |
| Seal-it® 562 Duct-Tape | 59 |
| Seal-it® 563 Bridge Joint Tape | 59 |
| Seal-it® 565 Pe Tape | 60 |
| Seal-it® 567 Ceramic Tape | 60 |
| Seal-it® 568 Glazing Bar Tape | 61 |
| Seal-it® 570 Glazing Packers | 61 |
| Seal-it® 575 Press-Band | 62 |
| Seal-it® 580 Guns | 63-66 |
| Seal-it® 590 Accessory Materials | 67-69 |
| Seal-it® Promotion Material | 70 |
| | |

Connect Products Quality, knowledge and service



Connect Products B.V.

Duurzaamheidsring 220 4231 EX Meerkerk The Netherlands

Telephone: +31 (0)183 731 400 Fax: +31 (0)347 341 645 General: info@connectproducts.nl Sales: sales@connectproducts.nl

www.connectproducts.nl

















Connect Products provides certified Seal-It® sealants, adhesives, PU foams and accessories, offering custom technology solutions for specific constructions and industrial applications.

Seal-it® products are specially developed for professionals, are high-quality, durable, efficient, environmentally and user-friendly, and guarantee secure bonds and optimal results that last for years. Seal-it®, when quality is key!

Connect Products boasts a highly dedicated and experienced organisation, distinguished by its quality, knowledge and service. Please feel free to contact us with any questions or requests. Our team of specialists is ready to assist you in any way they can.

This product catalogue reflects the selection of products currently available.

We've got it sealed.





+31 (0)183 731 400

www.connectproducts.nl

Our strength lies in our dedication to service and the customer, our flexibility, brainstorming with the customer, optimal logistics, short delivery times, expertise, advice, knowledge sharing, project support and long-term product warranties. Customer-satisfaction is our goal!

Serving the World





Technology, practical knowledge and customer desires provide the foundations for our product development, resulting in a broad and specialised product line. Seal-it® products guarantee top quality at all times and durable and efficient solutions, for successful applications in construction, renovation and maintenance projects.

Seal-it® high-end products are always designed based on thorough research and effective development, according to the latest state-of-the-art and findings, and with a constant focus on quality and innovation.









Superior sealants, adhesives, PU foams and accessories for professionals. Seal-it® products are certified, versatile, available in a variety of colours, environmentally and user-friendly, durable, efficient and well-positioned on the market, and meet all applicable standards and regulations. Seal-it® high-performance products guarantee quality and results, for secure and durable bonds, in construction, façades, glazing, sanitary and industrial applications.

Applications


















We've got it sealed.



Useful tips

Sealant consumption guidelines

| Recommended joi | int dimensions | Number of runni | ng metres | Sealant consumption | oer 100 running metres |
|-----------------|----------------|-----------------|---------------|----------------------|------------------------|
| width mm | depth mm | per cartridge | per foil pack | number of cartridges | number of foil packs |
| 5 | 8 | 7,80 | 15,09 | 13 | 7 |
| 7 | 8 | 4,80 | 9,29 | 21 | 11 |
| 9 | 9 | 3,10 | 6,00 | 32 | 17 |
| 11 | 10 | 2,60 | 5,03 | 39 | 20 |
| 13 | 10 | 2,10 | 4,06 | 48 | 25 |
| 15 | 11 | 1,70 | 3,29 | 59 | 30 |
| 17 | 12 | 1,60 | 3,09 | 63 | 33 |
| 19 | 12 | 1,50 | 2,90 | 67 | 35 |
| 21 | 13 | 1,00 | 1,94 | 100 | 52 |
| 23 | 14 | 0,90 | 1,74 | 111 | 57 |
| 25 | 14 | 0,80 | 1,55 | 125 | 65 |

The above mentioned sealant consumption figures are based on net consumption. In practice, material losses may range from 0% to 30%, depending on the joint type and dimensions, and the method used with the sealant applicator in question.

Joint dimensioning

The joint depth is dependent on the joint width and is simple to calculate using the formula below.


Joint depth = Joint width : 3 + 6 mm

Example

For a joint width of 18 mm, the proper joint depth is:

18 mm : 3 + 6 mm = 12 mm

Seal-it® 540 BACKER ROD FOAM can be used to apply Seal-it® sealants to the proper joint depth – see detailed drawing.



B = Joint width **D** = Joint depth



Seal-it® Acrylic





Seal-it® 110 UNI-ACRYL

Seal-it® 110 UNI-ACRYL is a high-quality, professional and universally paintable sealant, filler and repair product based on acrylic emulsion technology that cures by evaporation into a durable rubber that retains its plasto-elasticity.

Standard product line

| Colour | 24 x 310ml cartridge |
|--------|----------------------|
| White | SI-110-9100-310 |



Seal-it® 115 TOP-ACRYL

Seal-it® 115 TOP-ACRYL is a instantly rainproof, superbly paintable high-quality sealant, filler and repair product specially designed for outdoor use that is based on acrylic emulsion technology and that cures by evaporation into a durable rubber that retains its plasto-elasticity.

| Colour | 24 x 310ml cartridge | |
|--------|----------------------|--|
| White | SI-115-9100-310 | |



Seal-it® 120 SPAC-CRYL

Seal-it® 120 SPAC-CRYL is a granular, professional and universally paintable sealant, filler and repair product for joints, seams, cracks and holes, that is based on acrylic emulsion technology and cures by evaporation into a durable rubber that retains its plasto-elasticity.

Standard product line

| Colour | 24 x 310ml cartridge |
|--------|----------------------|
| White | SI-120-9100-310 |



Seal-it® 125 PLASTER-FILL

Seal-it® 125 PLASTER-FILL is an ultra-lightweight, high-quality ready-mixed repair and filler compound that is based on acrylic emulsion technology and cures by evaporation into a durable filler material.

| Colour | 24 x 310ml cartridge | 1L bucket | 5L bucket |
|--------|----------------------|-----------------|-----------------|
| White | SI-125-9100-310 | SI-125-9100-001 | SI-125-9100-005 |







Seal-it® 130 CEMENT-FIX

Seal-it® 130 CEMENT-FIX is specifically developed as a joint repair agent, for repairing damaged joints of interior and exterior walls, between masonry and stone strips, based on acrylic dispersion technology that cures through water evaporation from the material.

| Colour | 12 x 310ml cartridge |
|--------|----------------------|
| Grey | SI-130-7100-310 |







Seal-it® Silicone





Seal-it® 210 SILICON-GR

 $Seal-it @\ 210\ SILICON-GR \ is\ a\ high-quality, professional, fungicidal, acetoxy-curing\ sealant$ particularly suited for glass repair, that is based on silicone technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

| Colour | 24 x 310ml cartridge |
|-------------|----------------------|
| Transparent | SI-210-0000-310 |



Seal-it® 211 SILICON-HT

 $Seal-it @\ 211\ SILICON-HT is\ a\ heat-resistant, high-quality, acetoxy-curing\ sealant\ that\ is\ specially$ designed for heat-resistant gaskets and/or jointing compound, is based on silicone technology and moisture-cures into a durable rubber that retains its elasticity.

| Colour | 24 x 310ml cartridge | 12 x 200ml pressure pack |
|--------|----------------------|--------------------------|
| Red | SI-211-3100-310 | BL-211-3100-200 |
| Black | | BL-211-9200-200 |





Seal-it® 212 SILICON-AT

Seal-it® 212 SILICON-AT is a high-quality, professional, acetoxy-curing sealant for structural and glazing joints that is based on silicone technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

No default stock.

Colours and/or packaging on request.





Seal-it® 214 SILICON-AW

Seal-it® 214 SILICON-AW is a superbly weather-resistant, durable and neutral-curing sealant that is specially developed for general glazing and sealing of curtain walls and other façades, is based on silicone technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

 Colour
 12 x 600ml foil pack

 Black
 SI-214-9200-600





Seal-it® 215 SILICON-NF

Seal-it® 215 SILICON-NF is a fungicidal, high-quality, neutral-curing sealant for building, sanitary, façade and glazing joints that is based on silicone technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

| Colour | 20 x 400 ml foil pack | 12 x 600 ml foil pack |
|------------------|-----------------------|-----------------------|
| Transparent/grey | SI-215-0070-400 | |
| Manhattan | SI-215-7101-400 | |
| Silver/grey | SI-215-7106-400 | |
| Sanitary grey | SI-215-7160-400 | |
| RAL 9001 | SI-215-9001-400 | |
| Off-white | SI-215-9113-400 | |
| Black | | SI-215-9200-600 |





Seal-it® 216 SILICON-SA

Seal-it® 216 SILICON-SA is a high-quality, neutral-curing adhesive sealant that is particularly suited for fungicidal joint seals, is based on silicone technology and moisture-cures into a durable rubber that retains its elasticity.

| Colour | 24 x 310ml cartridge | 20 x 400 ml foil pack | 12 x 600ml foil pack |
|------------------|----------------------|-----------------------|----------------------|
| Transparent | SI-216-0000-310 | | SI-216-0000-600 |
| Transparent/grey | SI-216-0070-310 | SI-216-0070-400 | |
| Anthracite | | SI-216-7016-400 | |
| Manhattan | | SI-216-7101-400 | |
| Silver/grey | SI-216-7106-310 | SI-216-7106-400 | |
| Sanitary grey | SI-216-7160-310 | SI-216-7160-400 | |
| Linsey grey | | SI-216-7168-400 | |
| Anthracite grey | | SI-216-7247-400 | |
| RAL 9002 | | | SI-216-9002-600 |
| White | SI-216-9100-310 | SI-216-9100-400 | |
| Off-white | SI-216-9113-310 | SI-216-9113-400 | |
| Black | SI-216-9200-310 | | |



Seal-it® 217 SILICON-EPDM

Seal-it® 217 SILICON-EPDM is a high-quality, professional, neutral-curing adhesive sealant that is particularly suited for EPDM material, is based on silicone technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

No default stock.

Colours and/or packaging on request.



Seal-it® 218 SILICON-CL

Seal-it® 218 SILICON-CL is a fungicidal and neutral-curing sealant that is available in many colours, for structural, glazing, façade and sanitary joints, that is based on silicone technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

Colour 310ml cartridge
Available in all NCS and RAL colours SI-218-XXXXX-310

Orders starting from 12 cartridges.





Seal-it® 220 SILICON-FR

Seal-it® 220 SILICON-FR is a certified-fireproof, high-quality, neutral-curing sealant for linear joints in structures, glazing and façades that is based on silicone technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

| Colour | 12 x 600ml foil pack |
|----------|----------------------|
| Grey | SI-220-7001-600 |
| RAL 7016 | SI-220-7016-600 |
| White | SI-220-9100-600 |
| Black | SI-220-9200-600 |





Seal-it® 226 SILICON-CS

Seal-it® 226 SILICON-CS is a high-quality, neutral-curing adhesive sealant that is particularly suited for expansion joints in construction, façades and glazing, is based on silicone technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

No default stock.
Colours and/or packaging on request.





Seal-it® 230 TOPFLEX-P

Seal-it® 230 TOPFLEX-P is a KOMO-certified sealant for construction and glazing, that is paintable to a limited degree, can be tooled dry, is based on silicone technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

| Colour | 24 x 310ml cartridge | 12 x 600ml foil pack |
|----------|----------------------|----------------------|
| RAL 7016 | SI-230-7016-310 | SI-230-7016-600 |
| Grey | SI-230-7223-310 | SI-230-7223-600 |
| Brown | SI-230-8200-310 | SI-230-8200-600 |
| RAL 9001 | SI-230-9001-310 | SI-230-9001-600 |
| White | SI-230-9100-310 | SI-230-9100-600 |
| Black | SI-230-9200-310 | SI-230-9200-600 |





Seal-it® 235 ELASTO-STOP

Seal-it® 235 ELASTO-STOP is a high-quality, elastic putty for sealing and filling of heritage glass, based on silicone technology, that cures by moisture into a durable rubber that retains its elasticity.

| Colour | 12 x 600ml foil pack |
|--------|----------------------|
| White | SI-235-9100-600 |
| Black | SI-235-9200-600 |





Seal-it® 250 SILICON-ALL

Seal-it® 250 SILICON-ALL is a versatile, fungicidal, plasticiser-free, neutral-curing sealant for structural, glazing, façade, façade component, sanitary, natural stone and swimming pool joints that is based on silicone technology and moisture-cures into a durable rubber that retains its elasticity.

| Colour | 12 x 310ml cartridge | 20 x 400ml foil pack |
|------------------|----------------------|----------------------|
| Transparent | SI-250-0000-310 | SI-250-0000-400 |
| Transparent/grey | SI-250-0070-310 | SI-250-0070-400 |
| Bahama beige | SI-250-1110-310 | |
| Anthracite | SI-250-7016-310 | SI-250-7016-400 |
| Manhattan | SI-250-7101-310 | SI-250-7101-400 |
| Silver/grey | SI-250-7106-310 | SI-250-7106-400 |
| Basalt grey | SI-250-7120-310 | SI-250-7120-400 |
| Grey | SI-250-7129-310 | |
| Buxy | SI-250-7130-310 | |
| Sanitary grey | SI-250-7160-310 | SI-250-7160-400 |
| Linsey grey | SI-250-7168-310 | SI-250-7168-400 |
| Anthracite grey | | SI-250-7247-400 |
| RAL 9001 | SI-250-9001-310 | SI-250-9001-400 |
| White | SI-250-9100-310 | SI-250-9100-400 |
| Pergamon | SI-250-9110-310 | |
| Off-white | SI-250-9113-310 | SI-250-9113-400 |
| Jasmine | SI-250-9114-310 | |
| Black | SI-250-9200-310 | SI-250-9200-400 |









Seal-it® MSP/ Hybrid





Seal-it® 310 MS-EPDM

Seal-it® 310 MS-EPDM is a durable and professional adhesive sealant with unique adhesion properties on EPDM material, that is based on MS-Polymer® technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

Certifications

No default stock.

Colours and/or packaging on request.

Seal-it® 315 FACADE-LM

Seal-it® 315 FACADE-LM is a highly elastic, durable, high-quality sealant for expansion joints in façades and floors, that is based on hybrid technology and moisture-cures into a durable rubber that retains its high elasticity.

| <u> </u> | |
|---------------|----------------------|
| Colour | 12 x 600ml foil pack |
| RAL 7021 | SI-315-7021-600 |
| Concrete grey | SI-315-7102-600 |
| Medium grey | SI-315-7155-600 |
| White | SI-315-9100-600 |
| Black | SI-315-9200-600 |









Seal-it® 318 FACADE-PRO

Seal-it® 318 FACADE-PRO is a highly elastic, durable, high-quality sealant for expansion joints in façades and floors, that is based on hybrid technology and moisture-cures into a durable rubber that retains its high elasticity.

Standard product line

| Colour | 12 x 600ml foil pack |
|------------------------|----------------------|
| RAL 7021 (black gray) | SI-318-7021-600 |
| Stone gray | SI-318-7030-600 |
| RAL 7032 (pebble gray) | SI-318-7032-600 |
| RAL 7039 (quartz gray) | SI-318-7039-600 |
| White | SI-318-9100-600 |





Seal-it® 320 FACADE-SL

Seal-it® 320 FACADE-SL is a self-levelling, high-quality professional sealant for horizontal expansion joints in floors, that is based on hybrid technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

 Colour
 12 x 600ml foil pack

 Concrete grey
 SI-320-7102-600





Seal-it® 325 PRO-PAINT

Seal-it® 325 PRO-PAINT is a KOMO-certified, top quality, superbly paintable sealant for building structures and glazing structures, that is based on MS-Polymer® technology and moisturecures into a durable rubber that retains its elasticity.

Standard product line

| Colour | 24 x 290ml cartridge | 12 x 600ml foil pack |
|----------|----------------------|----------------------|
| RAL 7016 | SI-325-7016-290 | SI-325-7016-600 |
| Grey | SI-325-7102-290 | SI-325-7102-600 |
| Brown | SI-325-8142-290 | SI-325-8142-600 |
| RAL 9001 | SI-325-9001-290 | SI-325-9001-600 |
| White | SI-325-9100-290 | SI-325-9100-600 |
| Black | SI-325-9200-290 | SI-325-9200-600 |





Seal-it® 330 SPRAYSEAL

 $Seal-it @\ 330\ SPRAYSEAL\ is\ a\ durable,\ airtight,\ sprayable\ and\ brushable\ sealant\ and\ repair\ product\ for\ airtight\ and\ seamless\ sealing\ of\ connections,\ and\ protection\ and\ repair\ of\ building\ components,\ that\ is\ based\ on\ hybrid\ technology\ and\ moisture-cures\ into\ a\ durable\ rubber\ that\ retains\ its\ elasticity.$

Standard product line

 Colour
 12 x 290ml cartridge (blank)

 Grey
 BL-330-7100-290



Seal-it® 331 HYBRI-COAT

Seal-it® 331 HYBRI-COAT is an elastic, airtight, durable and high-quality seal coating that can be smoothed with a brush, is based on hybrid technology and moisture-cures into a durable non-shrink membrane with high mechanical strength.

Standard product line

| Colour | 12 x 600ml foil pack |
|----------|----------------------|
| RAL 7016 | SI-331-7016-600 |
| White | SI-331-9100-600 |

Certification







Seal-it® 335 HYBRI-STOP

Seal-it® 335 HYBRI-STOP is a high-quality, elastic and universally paintable putty for sealing and filling of heritage glass, that is based on hybrid technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

| Colour | 12 x 600ml foil pack |
|----------|----------------------|
| RAL 7004 | SI-335-7004-600 |
| White | SI-335-9100-600 |
| Black | SI-335-9200-600 |

Certification





Seal-it® 340 CRYSTAL

Seal-it® 340 CRYSTAL is a crystal-clear, high-quality, professional adhesive sealant for light adhesion and sealing of connecting joints that is based on MS-Polymer® technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

| Colour | 24 x 290ml cartridge |
|-------------|----------------------|
| Transparent | SI-340-0000-290 |



Seal-it® 345 FLOOR-BOND

Seal-it® 345 FLOOR-BOND is a high-quality, fast-curing, solvent-free floor and parquet adhesive that is based on hybrid technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

| Colour | 20kg PE bucket |
|---------------------|-----------------|
| Natural (light oak) | SI-345-1194-150 |

1 Compare Printers And Eagle To News, as a second and an advantage of the Annual Andreas and an advantage of the Annual A

Seal-it® 350 SUPER-ALL

Seal-it® 350 SUPER-ALL is a universal, multi-purpose, high-quality professional sealant and installation and construction adhesive that is based on hybrid technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

| Colour | 24 x 290ml cartridge | 12 x 600ml foil pack |
|---------------|----------------------|----------------------|
| Grey | SI-350-7100-290 | SI-350-7100-600 |
| Sanitary grey | | SI-350-7160-600 |
| Brown | SI-350-8100-290 | |
| White | SI-350-9100-290 | SI-350-9100-600 |
| Black | SI-350-9200-290 | SI-350-9200-600 |



Seal-it® 351 MS SUPER-ALL

Seal-it® 351 MS SUPER-ALL is a high-quality, multi-purpose universal sealant and construction and installation adhesive that is based on MS-Polymer® technology and moisture-cures into a durable rubber that retains its elasticity.

| Colour | 12 x 290ml cartridge (blank) | 12 x 600ml foil pack (blank) |
|--------|------------------------------|------------------------------|
| Grey | BL-351-7100-290 | |
| White | BL-351-9100-290 | |
| Black | BL-351-9200-290 | BL-351-9200-600 |



Seal-it® 352 SUPER-PRO

Seal-it® 352 SUPER-PRO is a high-quality, multi-purpose, professional and universal sealant and construction and installation adhesive that is based on MS-Polymer® technology and moisture-cures into a durable rubber that retains its elasticity.

Standard product line

| Colour | 24 x 290ml cartridge |
|--------|----------------------|
| Grey | SI-352-7100-290 |
| White | SI-352-9100-290 |
| Black | SI-352-9200-290 |



Seal-it® 360 HIGH-TACK

Seal-it® 360 HIGH-TACK is super tough, stainless, elastic and versatile construction and installation adhesive, with extremely high initial adhesion, for heavy-duty, instant and permanent adhesion, that is based on hybrid technology and moisture-cures into a durable rubber that retains its elasticity.

| Colour | 24 x 290ml cartridge | 12 x 600ml foil pack |
|--------|----------------------|----------------------|
| White | SI-360-9100-290 | SI-360-9100-600 |
| Black | SI-360-9200-290 | |





Seal-it® 380 FOIL-BOND

Seal-it® 380 FOIL BOND is a high-quality, professional assembly adhesive, based on Hybrid technology, that is specifically intended for bonding plastic films and vapour control layers. The adhesive cures through humidity to a durable, self-adhesive rubber.

Standard product line

No default stock.

Colours and/or packaging on request.













Seal-it®
PU-Foam





Seal-it® 450 PUR CLEANER

Seal-it® 450 PUR CLEANER is an effective and fast-acting cleaning product to remove/dissolve fresh/uncured PU foam stains and residues. Also suitable for cleaning and rinsing out PU guns.

Standard product line

 Colour
 12 x 500ml canister

 N/A
 SI-450-0000-500



Seal-it® 470 PU-FOAM GUN

Seal-it® 470 PU-FOAM GUN is a high-quality, fast-curing 1k insulation and installation foam, specially developed for sealing and filling joints, adjustment and installation spaces, seams and connections between various building components, and that moisture-cures into a durable foam mass.

Standard product line

 Colour
 12 x 750ml canister

 Crème
 SI-470-0000-750



A+



Seal-it® 471 PU-FOAM FLEX

Seal-it® 471 PU-FOAM FLEX is a highly flexible, airtight and highly insulating 1k insulation and installation foam, specially designed for flexible and airtight sealing and filling of joints, adjustment and installation spaces, seams and connections between various building components, and that moisture-cures into a durable foam that retains its flexibility.

Standard product line

| Colour | 12 x 750ml canister |
|--------|---------------------|
| Crème | SI-471-0000-750 |



Seal-it® 472 PU-FIRE FOAM

Seal-it® 472 PU-FIRE FOAM is a durable flame and fire-retardant 1k insulation and installation foam, specially developed for flame and fire-retardant joint seals between various building components, up to a maximum joint depth of 40 mm, and that moisture-cures into a durable foam mass.

| Colour | 12 x 750ml canister | |
|--------|---------------------|--|
| Red | SI-472-0000-750 | |





Seal-it® 475 PU-FOAM HAND

Seal-it@ 475 PU-FOAM HAND is a durable, fast-curing 1k insulation and installation foam, specially developed for sealing and filling joints, connections, seams, holes and adjustment and installation spaces between various building components, and that moisture-cures into a durable foam mass.

Standard product line

| Colour | 12 x 750ml canister |
|--------|---------------------|
| Crème | SI-475-0000-750 |



A+

Seal-it® 477 PU-FIXFOAM

Seal-it® 477 PU-FIXFOAM is a durable, ready-mixed PU adhesive specially developed for the indoor and outdoor adhering/installing of acoustic and insulation panel materials and other plates and panels that moisture-cures to a strong seal.

| Colour | 12 x 750ml canister |
|--------|---------------------|
| Crème | SI-477-0000-750 |





Seal-it® 478 PU-STONEFIX

Seal-it® 478 PU-STONEFIX is a high-quality, durable, waterproof and ready-mixed polyurethane adhesive that is particularly suitable for adhesion of various stone types, including gypsum, concrete, cellular concrete and sand-lime bricks, for non-load-bearing walls, that moisture-cures into a strong adhesive bond.

| Colour | 12 x 750ml canister |
|-----------------|---------------------|
| Beige / Naturel | SI-478-0000-750 |





Seal-it® Miscellaneous





Seal-it® 710 BONDFIX-PU

Seal-it® 710 BONDFIX-PU is a high-quality, powerful and fast-curing construction and installation adhesive, based on PU technology, for waterproof adhesion/installation of numerous materials, that moisture-cures into a rubber that retains its flexibility.

Standard product line

 Colour
 12 x 310ml cartridge

 Beige
 SI-710-0000-310



Seal-it® 720 CHEM-FIX

Seal-it® 720 CHEM-FIX is a durable, certified chemical anchor based on a two-part styrene-free polyester resin, for fast and secure anchoring of studs, screws and bolts in a variety of structures and structural components under highly dynamic loads, such as collision barriers, staging, scaffolding, columns, technical equipment/machinery, stair railings, shutters, window frames, etc.

| Colour | 12 x 300ml cartridge |
|--------|----------------------|
| Grev | SI-720-0000-300 |



Seal-it® 730 BUTYLENE SEALANT

Seal-it® 730 BUTYLENE SEALANT is a durable 1-part sealant that retains its plasticity and is based on polybutene and vegetable oils.

Standard product line

Certification

No default stock.

Colours and/or packaging on request.

Seal-it® 740 DISINFECTANT

Seal-it® 740 DISINFECTANT is a surface cleaner for all surfaces that are not sensitive to water and alcohol.

Standard product line

Certifications

| Colour | 12 x 500ml canister |
|--------|---------------------|
| N/A | SI-740-0000-500 |





Seal-it® Accessories





Seal-it® 510 CLEANER

Seal-it® 510 CLEANER is a non-aggressive and effective cleaning product for degreasing various surfaces, specially developed to improve adhesion of glues, sealants, paints, coatings and lacquers.

Standard product line

| Colour | 10 x 1000ml can |
|------------|-----------------|
| Colourless | SI-510-000-1000 |



Seal-it® 515 ULTRA-WIPES

Seal-it® 515 ULTRA-WIPES are extremely convenient and effective cleaning wipes, specially designed for quick, easy and safe cleaning of hands, tools and many surfaces.

| Colour | 6 canisters of 100 units |
|--------|--------------------------|
| White | SI-515-0000-100 |



Seal-it® 520 PRIMER

Seal-it® 520 PRIMER is a high-quality, extra-durable adhesive primer for sealants and adhesives that is specially developed for porous surfaces/materials and that moisture-cures into a durable membrane.

Standard product line

| Colour | 250ml can | 1000ml can |
|-------------|-----------------|-----------------|
| Transparent | SI-520-000-0250 | SI-520-000-1000 |



Seal-it® 520 PANELPRIMER

Seal-it® 520 PANELPRIMER is a highly effective black adhesive primer, specifically for the priming of untreated wood, such as timber works and slats, which cures through humidity and forms into a durable membrane.

| Colour | 1000ml can |
|--------|-----------------|
| Black | SI-520-920-1000 |



Seal-it® 525 CLEAN & BOND

Seal-it® 525 CLEAN & BOND is a fast-drying cleaner and primer in one product, specially developed as an adhesion promoter for sealants and adhesives on non-porous surfaces.

Standard product line

| Colour | 6 x 500ml can |
|------------|-----------------|
| Colourless | SI-525-000-0500 |



Seal-it® 530 POXYFIX

Seal-it @ 530 POXYFIX is a high-quality, professional and fast chemically curing 2k epoxy-based sealant that is specially designed for lasting sealing and installation of shower drains and as a fast-curing adhesive for light material bonding, and that cures chemically into a durable adhesive and sealant that retains its flexibility.

| Colour | 12 x 50ml twin cartridge | |
|----------|--------------------------|--|
| RAL 7044 | SI-530-7044-050 | |



Seal-it® 540 BACKER ROD FOAM

Seal-it® 540 BACKER ROD FOAM is an open-cell, CFC-free, polyurethane-based backer rod foam, available in a range of diameters, for filling deep joints to achieve proper joint dimensioning and width/depth ratio. Also prevents three-sided adhesion in joints.

Standard product line

| Packaging | Article number |
|---------------------|-----------------|
| Ø 10mm (500 metres) | SI-540-0010-500 |
| Ø 15mm (250 metres) | SI-540-0015-250 |
| Ø 20mm (200 metres) | SI-540-0020-200 |
| Ø 25mm (100 metres) | SI-540-0025-100 |
| Ø 30mm (100 metres) | SI-540-0030-100 |
| Ø 35mm (50 metres) | SI-540-0035-050 |
| Ø 40mm (50 metres) | SI-540-0040-050 |
| Ø 50mm (50 metres) | SI-540-0050-050 |
| Ø 60mm (25 metres) | SI-540-0060-025 |
| Ø 70mm (25 metres) | SI-540-0070-025 |
| Ø 100mm (15 metres) | SI-540-0100-015 |



Seal-it® 550 FINISH

Seal-it @ 550 FINISH is a PH-neutral, biodegradable, solvent-free universal finishing product for quick, easy and attractive finishing of joint seals. Available in 5 litres of concentrate and 1 litre of ready-mixed product.

| Colour 1x 5-litre jerrycan | | 12 x 1-litre spray bottle | | |
|----------------------------|-----------------|---------------------------|--|--|
| N/A | SI-550-000-5000 | SI-550-000-1000 | | |



Seal-it® 560 PANEL TAPE

Seal-it® 560 PANEL TAPE is a double-sided self-adhesive mounting tape, specifically developed to be used in combination with panel glue, to provide extra initial adhesive strength and the correct adhesive thickness.

Standard product line

| Colour | Roll 12x3mm (25m) |
|--------|-------------------|
| Black | SI-560-312-2500 |



Seal-it® 561 MASKING-TAPE

Seal-it® 561 MASKING-TAPE is a professional masking tape that adheres to many types of surfaces for masking and protecting various materials.

| Colour | Roll 25mm (50m) | Roll 38mm (50m) | Roll 50mm (50 m) |
|--------|-----------------|-----------------|------------------|
| lvory | SI-561-0025-072 | SI-561-0038-048 | SI-561-0050-024 |



Seal-it® 562 DUCT-TAPE

Seal-it \$ 562 DUCT-TAPE is a strong, multifunctional, self-adhesive and waterproof tape that adheres to many surfaces.

Standard product line

| Colour | Roll 50 mm (50m) |
|--------|------------------|
| Grey | SI-562-0050-024 |



Seal-it® 563 BRIDGE JOINT TAPE

Seal-it® 563 BRIDGE JOINT TAPE is an ultra-strong plastic reinforcement tape, specifically developed for the durable reinforcement of bridge joints, over concrete parts.

| Colour | Roll 96 mm (90m) |
|--------|------------------|
| White | SI-563-0096-012 |



Seal-it® 565 PE TAPE

Seal-it® 565 PE TAPE is a strong self-adhesive glazing tape, developed specifically for obtaining correct joint dimensions with top sealing in glazing constructions.

Standard product line

| Colour | Roll 9x2mm (250m) | Roll 9x3mm (250m) | Roll 9x4mm (250m) | Reel 9x2mm (600m) | Reel 9x3mm (400m) | Reel 9x4mm (275m) |
|--------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Grey | SI-565-7100-110 | SI-565-7100-100 | SI-565-7100-200 | SI-565-7100-120 | SI-565-7100-150 | SI-565-7100-250 |
| White | SI-565-9100-110 | SI-565-9100-100 | SI-565-9100-200 | SI-565-9100-120 | SI-565-9100-150 | SI-565-9100-250 |



Seal-it® 567 CERAMIC TAPE

Seal-it® 567 CERAMIC TAPE, is a fire-resistant glazing tape, specifically developed for obtaining correct joint dimensions, for top sealing in fire-resistant glazing constructions.

| Colour | Roll 9x3mm (50m) | Roll 9x4mm (50m) |
|--------|------------------|------------------|
| White | SI-567-9100-903 | SI-567-9100-904 |



Seal-it® 568 GLAZING BAR TAPE

Seal-it® 568 GLAZING BAR TAPE is a strong double-sided mounting adhesive tape, specifically developed for mounting grid windows, and it is also suitable for mounting several types of materials.

Standard product line

| Colour | Roll 15x3mm (30m) | Roll 15x4mm (30m) | Roll 19x3mm (30m) | Roll 19x4mm (30m) | Roll 25x3mm (30m) | Roll 25x4mm (30m) |
|--------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Grey | SI-568-7100-153 | SI-568-7100-154 | SI-568-7100-193 | SI-568-7100-194 | SI-568-7100-253 | SI-568-7100-254 |
| White | SI-568-9100-153 | SI-568-9100-154 | SI-568-9100-193 | SI-568-9100-194 | SI-568-9100-253 | SI-568-9100-254 |



Seal-it® 570 GLAZING PACKERS

Seal-it® 570 GLAZING PACKERS are plastic grid, tunnel and wedge-shaped glazing supports, specifically developed to support, set and space glass panes.

Standard product line

| Colour | 1000 x different colours |
|-----------------|--------------------------|
| Various colours | SI-570-XXXX-100 |

Different sizes from 8 to 40mm wide available.



Seal-it® 575 PRESS-BAND

Seal-it® 575 PRESS-BAND is a high-quality, open-cell polyurethane foam tape for joint sealing, that retains its elasticity and that is impregnated with fire-retardant and environmentally friendly acrylic resin, for a durable joint seal that is resistant to driving rain.

| Article number | Colour/dimension | Packaging |
|-----------------|--------------------|------------------|
| SI-575-1002-125 | Black 10/2 (10x10) | 12,5 metres/roll |
| SI-575-1003-010 | Black 10/3 (10x15) | 10 metres/roll |
| SI-575-1004-008 | Black 10/4 (10x20) | 8 metres/roll |
| SI-575-1502-125 | Black 15/2 (15x10) | 12,5 metres/roll |
| SI-575-1503-010 | Black 15/3 (15x15) | 10 metres/roll |
| SI-575-1504-008 | Black 15/4 (15x20) | 8 metres/roll |
| SI-575-1506-056 | Black 15/6 (15x30) | 5,6 metres/roll |
| SI-575-2004-008 | Black 20/4 (20x20) | 8 metres/roll |
| SI-575-2006-056 | Black 20/6 (20x30) | 5,6 metres/roll |
| SI-575-2008-043 | Black 20/8 (20x40) | 4,3 metres/roll |



Seal-it® 580 GUNS are professional sealant and PU foam guns, specifically developed for quick and easy injection of tubes, foil packs and aerosol canisters.



























































































Seal-it® 590 ACCESSORY MATERIALS

Seal-it® 590 ACCESSORY MATERIALS are accessory and finishing materials, specifically developed for proper and easy application and finishing of applied materials.

























Seal-it® 590 ACCESSORY MATERIALS

























Seal-it® 590 ACCESSORY MATERIALS









Seal-it® PROMOTION MATERIAL

Material to use for sale.



















Connect Products B.V.

Duurzaamheidsring 220 4231 EX Meerkerk The Netherlands

info@connectproducts.nl

